

Samsung CLX-9252NA/9352NA Colour MFP

Deliver your work faster with these powerful department-class MFPs



HIGHLIGHTS:

- Fast printing, copying, and scanning due to its dual core processor
- Communicate better with bright and vivid colours, made possible by Samsung's polymerized toner
- Maximize your productivity with the 8.9" colour touch screen panel
- Integrate into your existing workflows with the eXtensible Open Architecture (XOA) platform
- Keep all of your work data safe with standard security features

In today's business environment, you expect your MFP to be able to handle your organization's growth. The new Samsung CLX-9252NA and CLX-9352NA provide high-output workgroups with optimal speed for printing, copying, scanning, and faxing without sacrificing quality. While receiving professional-grade printouts, you will also enjoy cost savings from features including the All-in-One Board, high monthly duty cycles, and Eco Mode. These multifunction printers are more than a device; they are part of your team.


SAMSUNG

True Colour at the Speed of Light

In today's fast-paced environment, you expect your MFP to achieve maximum uptime. The new Samsung MultiXpress CLX-9252NA and CLX-9352NA provide high-output workgroups optimal speed for printing, copying, scanning, and faxing without sacrificing quality. Samsung Rendering Engine for Clean Page (ReCP) technology produces professional-grade printouts, and the polymerized toner provides a vivid and glossy finish with smaller and more uniform particles.


Improve performance with twice the power

The MultiXpress CLX-9252NA and CLX-9352NA enhance office productivity with faster printing and scanning capabilities, powered by a fully integrated Samsung 1 GHz dual core processor. Large print and copy jobs are easier to manage, and scanning throughput is increased. The dual core processor performs printing tasks faster than a conventional processor, enabling employees to focus on core work activities.



Send scanned files quicker with high compression


The Samsung Mixed Raster Content (MRC) technology compresses scanned files with little reduction in quality. The compressed files save MFP storage space, helping users create and send scanned documents with greater ease and speed.



* MRC (Mixed Raster Content): extracted text and image for PDF format scan.
* Evaluation from internal test lab.

Enjoy quality printouts

Samsung's unique ReCP (Rendering Engine for Clean Page) technology and up to 600 x 600 x 4-bit dpi improve the overall quality and vibrancy of your colour printing, ensuring every printout looks perfect. It automatically sharpens the focus of both graphics and text, while solid objects are overlapped to eliminate white gaps.



Prevent document fading with polymerized toner

Samsung polymerized toner produces smaller and more uniform particles than conventional toners. Printouts have crisper lines and intense colours, and pages curl less often. Additionally, the high wax content improves the image gloss and durability, which helps prevent the document from fading.




Reduce Energy Consumption and Costs with Higher Efficiency and Reliability

Companies expect value from every aspect of the business, including their colour printers and copiers. The MultiXpress CLX-9252NA and CLX-9352NA have low failure rates, which means fewer maintenance costs, hence lower operating costs. Additional cost-saving features include the All-in-One Board, high monthly duty cycles, and Eco Mode.

Low power consumption

The combined boards and chips that make up the All-in-One Board help reduce the number of complex parts, decreasing the failure rate. The All-in-One Board assists in controlling overall energy consumption by lowering power requirements. When compared to a conventional board during an internal test, the All-in-One Board helped reduce Typical Electricity Consumption (TEC) by up to 44.2 percent.

Samsung Instant Fusing System (IFS) technology also helps increase printing and copying speeds. In addition, IFS reduces energy use, which further aids in controlling operating costs. The combination of the All-in-One Board, IFS, and polymerized toner helps companies decrease expenditures.



A business asset that helps ensure low-cost, hassle-free ownership


The MultiXpress CLX-9252NA and CLX-9352NA help businesses thrive in a fast-paced, economically challenged world with features that promote cost savings.

Less downtime with high monthly duty cycles

The MultiXpress CLX-9252NA and CLX-9352NA have high monthly duty output cycles of 120,000 pages (CLX-9252NA) and 150,000 pages (CLX-9352NA). Due to its high monthly output, the low mechanical failures and decreased downtime can help businesses save both time and costs. The MFPs also have a double-chassis structure that is designed for heavy-duty usage.

Reduced downtime for maintenance

Decreased maintenance and installation times help businesses meet deadlines within budget. Toner replacement for the MultiXpress CLX-9252NA and CLX-9352NA printers is designed for ease of use. In addition, users can correct paper jams without the need for a maintenance call. Fewer steps are required to replace high-frequency service items (HFSIs), such as fusers, rollers, and image transfer units (ITUs). Fewer maintenance steps means the device is more readily available when users need it.



Easy Operation of Various Functionality at Your Fingertips

Simplified savings with the touch of a button

Businesses can lower operating expenses with greater ease using Eco Mode, an energy-saving feature that helps companies reduce paper and power costs. By simply pressing the Eco button on the MFP, users can print more onto every page, with options for 2-up, 4-up, and duplex printing.

Additionally, users can select the option to automatically skip blank pages, which helps save on toner, further reducing supply expenses. Based on an internal Samsung test, Samsung MFPs with Eco Mode outperformed an MFP without Eco Mode.



Easy Eco Driver provides users a preview of a document before printing, which helps reduce wasted printouts. While previewing the document, users can modify its format by removing text and images. The user can also adjust the layout (for example, from 1-up to 2-up printing) without changing the original document layout.



Designed for ease of use and expandability

With convenient features, such as the large full-colour LCD touch panel, wide media acceptance, and fast UI response rate of 500 milliseconds, work groups can save time and focus on their work instead of wasting hours on the equipment they use to produce it.

LCD control panel that is one of the largest in its MFP class

The colour LCD control panel on the MultiXpress CLX-9252NA and CLX-9352NA MFPs is 8.9 inches and considered one of the largest MFPs in its multifunction printer class. The control panel tilts for convenient viewing of the current job status, following prompts during an operation and setting up menus. Also, LED indicators, such as low paper alerts or a ready-for-use indicator, help users more quickly determine the device status.



Mobile printing

Mobile workers can print, scan, and transfer files wirelessly from most mobile devices. Workers can realize increased productivity because they can print without having to install printer drivers to use robust print features.



Samsung Eco-Driver earned the 2012 "Outstanding Achievement" Award from Buyers Lab, Inc.

Produce Polished Documents of Various Formats and Media Types

Configured to grow with a business

The MultiXpress CLX-9252NA and CLX-9352NA are designed to expand with a growing business. The MFPs can be configured based on the needs of the business with a wide range of functions, including the following:

- Working table
- 1,250-sheet Standard Finisher
- 3,250-sheet Booklet Finisher
- Stand
- Dual Cassette Feeder
- High Capacity Feeder

Extensive paper handling and finishing capabilities

Workgroup members can finish various types of documents with the optional 1,250 / 3,250 finisher (hole punch and booklet), stapling, and folding features. Users can select from the optional dual cassette feeder (DCF) and high capacity feeder (HCF).

Wide media acceptance, including banners

The MultiXpress CLX-9252NA and CLX-9352NA MFPs can accept a wide array of media types. The A3-capable MFPs accept the widest copy paper weight in the class. A multi-purpose tray supports envelopes of various widths, heavy stock paper, and other special media. Additionally, the MFPs can support banners up to 1,200 mm x 320 mm (47.2" x 12.6").



Enhance Your Office Data Security at No Extra Cost

Control the device through security and Smart Samsung solutions

Data security is a major concern of businesses today. The Samsung Security Framework is standard on the MultiXpress CLX-9252NA and CLX-9352NA. It increases network protection and helps prevent unauthorized access to confidential information.



Authenticated user	<ul style="list-style-type: none">• Authentication• Authorization• Accounting
Protected network	<ul style="list-style-type: none">• Secure Socket Layer (SSL)/ Transport layer Security (TLS)• Simple Network Management Protocol (SNMP) v3• Internet Protocol Security IPSec (Internet Protocol [IP] v4, IPv6)• 802.1x (with Extensible Authentication Protocol [EAP])• Protocol/port management• IP/Macintosh filtering
Secure document	<ul style="list-style-type: none">• Secure print• Secure scan• Secure fax• Document tagging (watermark, stamps)
Secure data	<ul style="list-style-type: none">• Encryption• Hard disk drive image overwrite
Secure management	<ul style="list-style-type: none">• System logs• System back up• Email notification



XOA (Open Architecture Platform)

Connect the MultiXpress CLX-9252NA and CLX-9352NA MFP to a company's applications through XOA. Based on open standards, XOA enables print solution vendors to create embedded applications that enhance the use of the device's capabilities to help improve business processes. XOA provides the following:

- Intelligent integration across a wide range of services
- Easier integration and less downtime during installation
- A flexible solution for continuous productivity
- Optimized extensibility and customization

Smart Samsung solution support

Samsung offers various solutions to help increase business efficiency, such as device management, secure printing, document workflow, barcode document management, and mobile printing. The Smart Samsung suite of solutions is designed to help meet modern office requirements.

SyncThru™ Device Management Solution



SyncThru™ Admin remotely discovers, manages, diagnoses, and reports all devices within the network to achieve increased efficiency and productivity of the organization.

SecuThru™ Secure Printing Solution



SecuThru™ Lite ensures document security and help reduce printed waste. The key features are card authentication, secure release printing and job accounting.

SmarThru™ Workflow Document Distribution Solution



SmarThru™ Workflow streamlines document workflows from capturing paper documents, as well as electronic documents, to distributing them to predefined destinations.

Barcode™ Document Management Solution




Barcode™ is used to manage assets and stock items, track items through distribution channels or simply improve the management of documents within the organization.

Expand Functionality Easily and Affordably


Manage workflows with smart solutions

Use Samsung solutions with the MultiXpress CLX-9252NA and CLX-9352NA to create an MFP that helps efficiently manage business workflows.



Secure printing

SecuThru™ Lite manages all printing jobs from PCs and mobile devices. Documents are not released without user authentication.



Secure document workflow

Only authenticated users can access to the pre-defined scan workflow by SyncThru™ Workflow with icon-based intuitive user interface.



Single sign on (SSO)

A user logs in once and gains access to all Samsung solutions.

Usage monitoring by user and by device

Information technology (IT) administrators can manage and monitor users' print, copy, and scan jobs with the SyncThru™ Admin interface.



Customizable for Your Business

The Samsung MultiXpress CLX-9252NA and CLX-9352NA multifunction printers are more than a device; they are part of the team.

Set up the MultiXpress CLX-9252NA and CLX-9352NA to expand with changing needs

The Samsung MultiXpress CLX-9252NA and CLX-9352NA MFPs can be configured to grow with a business. Organizations can begin with the basic production configuration, and then add options to increase the design, productivity, and integration of the device as needed. A wide range of supplies are also available. The following table shows the available configuration options for the MultiXpress CLX-9252NA and CLX-9352NA MFPs.



	Basic Configuration	Advanced Configuration	Full-Featured Configuration
System Features	Main Unit + Stand	Main Unit + 1,250 Standard Finisher + Dual Cassette Feeder	Main Unit + 3,250 Booklet Finisher + High Capacity Feeder
Max Input Paper Capacity	520 (Cassette) x 2 +100 (Multi-purpose Tray) = 1,140 sheets	520 (Cassette) x 4 +100 (Multi-purpose Tray) = 2,180 sheets	520 (Cassette) x 2 + 2,000 (HCF) + 100 (Multi-purpose Tray) = 3,140 sheets
Max Output Paper Capacity	500 (Center Tray) + 150 (Right Tray) = 650	1,250 sheets + 150 (Right Tray) = 1,400	3,250 sheets + 150 (Right Tray) = 3,400
Perfect for:	Mid-Small Work Group (3-10 persons)	Department Mid-Small Work Group (6-15 persons)	Copy/Print Center Department Mid-Small Work Group (Over 20 persons)

Build an MFP that Changes with Business Needs

Options



Stand
CLX-DSK10T



Dual Cassette Feeder
CLX-PFP000



High Capacity Feeder
CLX-HCF102



Bridge Kit
CLX-BRG200



1,250-Sheet
Standard Finisher
CLX-FIN40S



3,250-Sheet
Booklet Finisher
CLX-FIN40L



Working Table
CLX-WKT000




Fax Kit
CLX-FAX160



Fax Multiline Kit
CLX-FAX260



2/3 Hole Punch Kit
2/4 Hole Punch Kit
CLX-HPU000 /
CLX-HPU001



FDI Kit
CLX-KIT10F




Colour PM Kit -
Cleaning & Transfer Set
CLX-PMK10C



Colour PM Kit -
Tray Roller /
DADF Roller /
MP Roller Set
CLX-PMK11C
CLX-PMK15C
CLX-PMK13C




Cassette
Dehumidifying
Heater Kit
CLX-DHK11C
CLX-DHK12C



Staples 5,000 x 3
SCX-STP000

Supplies



Black Toner (Colour)
CLT-C607S



Cyan Toner (Colour)
CLT-M607S
*MultiXpress C9250ND supports only
CLT-C607S



Magenta Toner (Colour)
CLT-Y607S
*MultiXpress C9250ND supports only
CLT-M607S



Yellow Toner (Colour) 15K
CLT-Y607S
*MultiXpress C9250ND supports only
CLT-Y607S



Black Imaging Unit
CLT-R607K



Cyan Imaging Unit
CLT-R607C



Magenta Imaging Unit
CLT-R607M



Yellow Imaging Unit
CLT-R607Y



Waste Toner
Container
CLT-W606

Samsung MultiXpress CLX-9252NA and CLX-9352NA Multifunction Printers

General Specifications

Speed (Copy/Print)	<ul style="list-style-type: none"> CLX-9252NA: 25 ppm CLX-9352NA: 35 ppm
Functions	<ul style="list-style-type: none"> Standard: Print, Copy, Scan, Network, Duplex Optional: Fax
Processor	1 GHz (Dual Core)
Memory	1.5 GB
Display	8.9" Colour Touch-Panel LCD, 1024 x 600 (WSVGA)
Interface	High-Speed USB 2.0 Host (3-port), Hi-Speed USB 2.0, Ethernet 10/100/1000 Base TX
Warm-up Time	<ul style="list-style-type: none"> From Power On: Less Than 39 sec From Sleep: Less Than 28 sec
Noise Level (Simplex/Duplex)	<ul style="list-style-type: none"> Copying: 54dBA/56dBA Printing: 51dBA/53dBA Ready: 37dBA Sleep: 27dBA
Storage	320 GB (Document Box Space: 154 GB)
Max. Monthly Duty Cycle	<ul style="list-style-type: none"> CLX-9252NA: 120,000 pages CLX-9352NA: 150,000 pages
Dimension (W x D x H)	677.5 x 763 x 853.6 mm 26.7" x 30.0" x 33.6" (including DADF)
Weight	109.5 kg / 241 lbs. (including DADF, Waste Toner Box)
Network Protocols	<ul style="list-style-type: none"> IP Management (DHCP, DHCPv6, BOOTP, AutoIP, SetIP, Static) Discovery Protocol (SLP, UPnP, Bonjour, DNS, WINS) Printing Protocol (TCP/IP(9100), TCP/IP(9100)v6, LPR, LPR6, IPP, WSD) Management Protocol (SNMPv1.2, SNMPv1.2 (IPv6), SNMP3, SNMPv3 (IPv6), HTTP, HTTPS, LDAP, LDAPS, SMTP) Scan Protocol (SMTP, SMTPs, FTP, SMB, Twain for Network, WebDav) Security Protocol (SMB, Kerberos, LDAP, IPSec)
Network Security	SSL/TLS, IP sec, SNMPv3, IPv6, Protocol & Port Management, IP/MAC filtering
OS Compatibility	<p>[Windows] - Windows XP (32/64bits) /2003(32/64bit)/Vista (32/64 bits)/ 2008/Win7/2008 R2 (64 bits only)</p> <p>[Mac] - Mac OS 10.5 - 10.6</p> <p>[Linux] - RedHat Enterprise Linux WS 4, 5 (32/64 bits)</p> <ul style="list-style-type: none"> - Fedora Core 2-10 (32/64 bits) - SuSE Linux 9.1 (32 bits) - OpenSUSE 9.2, 9.3, 10.0, 10.1, 10.2 10.3, 11.0 11.1 (32/64 bits) - Mandrake 10.0, 10.1 (32/64 bits) - Mandriva 2005, 2006, 2007, 2008, 2009 (32/64 bits) - Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10 (32/64 bits) - SuSE Linux Enterprise Desktop 9, 10 (32/64 bits) - Debian 3.1, 4.0, 5.0 (32/64 bits)
Power Consumption	Max 1.1kW (Ready: <100W, Low power: <20W, Sleep: <1.5W)
TEC	<ul style="list-style-type: none"> CLX-9252NA: 2.790 kwh CLX-9352NA: 3.684 kwh

* Typical Electricity Consumption (Energy Star Test Method)

Certification CCC(ISO15408), IEEE P2600-2008, WHQL Compliance

Paper Handling

Input Capacity & Types	<ul style="list-style-type: none"> Standard Cassette: 520 sheets (Cassette) x 2 Multi-purpose tray: 100 sheets
Media Types	<ul style="list-style-type: none"> Cassette: Plain / Thin / Bond / Punched / Pre-Printed / Recycled / Label / Card Stock / Letterhead / Thick / Cotton / Coloured / Archive / Glossy Multi-purpose tray: Plain / Thick / Heavy Weight / Extra Heavy Weight 1 / Extra Heavy Weight 2 / Thin / Cotton / Colour / Pre-printed / Recycled / Bond / Archive / Letterhead / Punched / Card Stock / Labels / Envelope / Glossy
Media Size	<ul style="list-style-type: none"> Cassette: Letter / Legal / Office / Folio / A3 / A4 / JIS B5 / ISO B5 / Executive / A5 / Statement / Custom Multi-purpose tray: 98 x 148 mm - 320 x 457 mm (3.87" x 5.8" - 12.6" x 18") banner 320 x 1200 mm
Media Weights	<ul style="list-style-type: none"> Cassette: 60-216 g/m² Multi-purpose tray: (Simplex) 60-253 g/m² (Duplex) 60-175 g/m²
Output Capacity Types	<ul style="list-style-type: none"> Standard: 500 (Center Output Tray) Max: 3,250 (Booklet Finisher, option)
ADF Type	DADF
ADF Capacity	100 Sheets
ADF Document Size	A3, A4, A4 SEF, A5, A5 SEF, B4, B5, B5 SEF
ADF Document Weight	Simplex: 42-128 gsm / Duplex: 50-128 gsm

Copy Specifications

Speed (Mono/Colour)	<ul style="list-style-type: none"> CLX-9252NA: 25 cpm in A4/Letter CLX-9352NA: 35 cpm in A4/Letter
First Copy Out Time	<ul style="list-style-type: none"> CLX-9252NA: 9.5 seconds (Mono) / 10.5 seconds (Colour) CLX-9352NA: 7.5 seconds (Mono) / 8.5 seconds (Colour)
Resolution	600 x 600 dpi
Zoom Rate	25% - 400%
Multi-Copy	9,999 Pages
Duplex Cop	Built-in
Copy Features	ID Copy, Clone Copy, N-UP Copy, Poster Copy
Other Copier Features	<ul style="list-style-type: none"> Original Type : Text, Text/Photo, Magazine, Photo, Copied Original, Map, Light Original Colour Setting : Auto Colour, Full Colour, B&W. Image Modify : Book Centre Erase, Watermark Copy, Automatic Background Suppression, Time & Date Stamp, ID Stamp

Print Specifications

First Print Out Time	<ul style="list-style-type: none"> CLX-9252NA: Less than 12.5 sec (Mono) / Less than 13.5 sec (Colour) CLX-9352NA: Less than 9.5 sec (Mono) / Less than 10.5 sec (Colour)
----------------------	---

Resolution	Default 600 x 600 x 2-bit Up to 600 x 600 x 4-bit
Emulation	PCL5Ce, PCL6C, PostScript Level3, PDF 1.7
Fonts	<ul style="list-style-type: none"> PCL: Scalable93, OCR-A, OCR-B Postscript: Scalable136
Duplex (Mono/Colour)	<ul style="list-style-type: none"> CLX-9252NA: Up to 24.4 ppm in A4 / Letter Up to 12 ppm in A3 / 11X17 CLX-9352NA: Up to 34.2 ppm in A4 / Letter Up to 17 ppm in A3 / 11X17
* Simple to Duplex	
Network Operating System	<p>[Windows] - Microsoft™ XP (32/64 bits) / 2003 (32/64 bits) / Vista (32/64 bits) / Win7</p> <p>[Mac] - Mac OS 10.5 - 10.7</p> <p>[Linux] - RedHat Enterprise Linux WS 4, 5, 6 (32/64 bits),</p> <ul style="list-style-type: none"> - Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (32/64 bits) - OpenSUSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 (32/64 bits), - Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bits) - Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 (32/64 bits), - SuSE Linux Enterprise Desktop 10, 11 (32/64 bits) - Debian 4.0, 5.0, 6.0 (32/64 bits)
Utilities	SyncThru Web Service, Anyweb Print, Easy Printer Manager, Easy Document Creator, Easy Deployment Manager, Mobile Print (Android, iOS, Win Mobile)
Solutions	SyncThru Admin 6, CounThru 2.5, SmarThru Workflow 3, SmarThru Workflow 2, SecuThru Lite 1
Open Platform	eXtended Open Architecture (XOA)

Scanner Specifications

Speed (Mono/Colour)	45 ipm (300 dpi / A4/Letter)
Colour Mode	Mono / Gray / Colour
Compatibility	Network TWAIN
Method	Colour CCDM-MMT
Scan Document Size	Max.297 mm x 432 mm (Max. 11.7"x17.0")
Resolution (Optical/Enhanced)	Up to 600 x 600 dpi (Optical) / Up to 4,800 x 4,800 dpi (Enhanced)
Scan to Modes	E-mail, USB, FTP, SMB, HDD, PC
Scan File Formats	<ul style="list-style-type: none"> Email: TIFF, JPEG, PDF, XPS / PC: TIFF, JPEG, PDF, Compact PDF FTP/SMB: TIFF, JPEG, PDF, Compact PDF, XPS / HDD (Option): TIFF, JPEG, PDF, Compact PDF, XPS USB: TIFF, JPEG, PDF, Compact PDF, XPS

Security Specifications

* Secure Data Standard Data Overwrite Security Method

DoD 5220.28M	Select to overwrite the memory 3 times. When overwriting three times, patterns 0x35, 0xCA, 0x97 are used to overwrite the disk's content. This method of overwriting the disk is specified by US DoD.
--------------	---

Samsung MultiXpress CLX-9252NA and CLX-9352NA Multifunction Printers

Australian ACSI 33	Select to overwrite the memory 5 times. When overwriting 5 times, character "C" and its complement alternatively are used to overwrite the disk. After the 2nd time, there is a mandatory validation. For the 5th time, random data is used.
German VSITR	Select to overwrite the memory 7 times. When overwriting for the 6 times, alternate 0x00 and 0xff are used to overwrite the disk and in the 7th time, the disk is written with 0xAA.
Custom	Select to determine the number of times the memory will be overwritten. The hard disk will be overwritten as many times as the number you select.
HDD Encryption Method	This function encrypts the system's hard drive using 256 bits (AES) to protect against data theft.
Secure User	Authentication (Basic, Device, Application), / Authorization, Group / Role-based Authorization
Secure Document	Secure Print, Secure Fax, Document Tagging (Watermark, Stamp) Secure PDF - PDF Encryption Document Tagging of Secure PDF, Digital Signature in PDF, Code Signing, Print Job Encryption
Secure Management	Job Auditing, Job Operation, Security Event Logging, System Log Back Up, Email Notification

Fax Specifications (Optional)

Modem Speed	33.6 Kbps
Compatibility	ITU-T G3, Super G3
Resolution	Up to 600 x 600 dpi (Mono)
Speed	1.5 sec / (A4, LTR) (Std), 4 sec / (A4, LTR) (Fine)
Compression Method	MH / MR / MMR / JBIG / JPEG (Tx only)
Memory	HDD Back-up
Auto Dialing	500 Locations Speed Dial, 500 Group Dial
Fax Functions	Secure Rx, Time Secured Fax, Delay Send, etc.
Fax to Modes	Fax to SMB, Fax to Email, Fax to FTP, Fax to Fax, Fax to WebDAV, Fax to Box
Fax Features	Speed Dial, Group, Dial, On-hook Dial, Auto Redial, Caller ID, Secure Reception, Fax forwarding, etc.

Consumables

Black Toner Cartridge	25,000 pages (5% Coverage)
Colour (Y/M/C) Toner Cartridge	15,000 pages (5% Coverage)
Imaging Unit/Drum (Mono/Colour)	75,000 pages (5% Coverage) (Mono/Colour)
Waste Toner Container	75,000 pages (5% Coverage)

Options

Dual Cassette Feeder

Capacity	520 sheets x 2 trays @ 20 lbs. (80 g/m ²) (Mono / Colour)
Media Size	Letter, Legal, Oficio, Folio, Statement, Ledger, A3, A4, JIS B5, ISO B5, Executive, A5, Custom
Media Type	Plain, Thick, heavy weight, Extra heavy weight 1, Thin, Cotton, Colour, Pre-printed, Recycled, Bond, Archive, Letterhead, Card Stock, Label
Media Weights	60-216 g/m ²
Dimension	260 x 628.5 x 670.7 mm
Weight	33.3 kg

High Capacity Feeder

Capacity	2000 sheets @ 20 lbs. (80 g/m ²)
Media Size	A4, Letter
Media Type	Plain, Thick, heavy weight, Thin, Cotton, Colour, Pre-printed, Recycled, Bond, Card Stock
Media Weights	60-216 g/m ²
Dimension	260 x 628.5 x 670.7 mm
Weight	28.8 kg

1250-sheet Standard Finisher

Output Capacity	Tray 1,250 sheet
Media Size	Main: 140 x 216 mm - 304.8 x 457 mm (5.5" x 8.5" - 12" x 18") Top: 98 x 148 mm - 320 x 457 mm (3.87" x 5.8" - 12.6" x 18") banner 320 x 1200 mm
Media Type	Main, Top: Plain, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2 (Top only), Thin, Cotton, Colour, Pre-printed, Recycled, Bond, Archive, Letterhead, Punched, Card Stock, Labels, Envelope (Top only), Glossy
Media Weights	Main: 60-216 g/m ² Top: 56 - 253 g/m ²
Staple Capacity	50 sheets stapling with 90 g/m ² sheet
Staple Positions	Front/Rear Corner staple, Dual staple
Staple Paper Weight	60 - 216 g/m ²
Hole punch	Optional: 2/3 Hole or 2/4 Hole
Dimension	589 x 684 x 610 mm
Weight	30.1 kg

3250-sheet Booklet Finisher

Output Capacity	Tray 3,250 sheet (Main tray: 3,000 sheets, Top tray: 250 sheets, Booklet tray: 20 set (80 g/m ² 15 sheet /set)
Media Size	Main: 140 x 216mm - 304.8 x 457 mm (5.5" x 8.5" - 12" x 18") Top: 98 x 148 mm - 320 x 457 mm (3.87" x 5.8" - 12.6" x 18") banner 320 x 1200 mm Booklet: 176 x 250 mm - 304.8 x 457 mm (6.9" x 9.8" - 12" x 18")

Media Type	Main, Top: Plain, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2 (Top only), Thin, Cotton, Colour, Preprinted, Recycled, Bond, Archive, Letterhead, Punched, Card Stock, Labels, Envelope (Top only), Glossy Booklet: Plain / Thick / Heavy Weight / Thin / Cotton / Colour / Preprinted / Recycled / Bond / Archive / Letterhead
Media Weights	Main: 60-216 g/m ² Top: 56-253 g/m ² Booklet: 60-120 g/m ²
Staple Capacity	Normal: 50 sheets stapling with 80 g/m ² sheet, Booklet: 15 sheets stapling (216 g/m ² , 1 sheet and 80 g/m ² 14 sheet)
Staple Positions	Front/Rear Corner staple, Dual staple
Staple Paper Weight	Normal: 60-216 g/m ² , Booklet: 60-120 g/m ²
Dimension	1132 x 822 x 610 mm
Weight	99 kg

Optional Punch Kit

Available Unit	Auto change 2/3 hole or auto change 2/4 hole
Paper weight	60-216 g/m ²

Others

Cabinet Stand, Bridge Unit, Working Table, FDI Kit, Fax Kit, Fax Multiline Kit, Cassette Dehumidifying Kit, Staples 5,000 x 3, Colour PM Kit - Cleaning & Transfer Set, Tray Roller Set, DADF Roller Set, MP Tray Roller Set, SmartThru, Workflow, CountThru, Advanced Scan Kit

* Specifications above are subject to change without prior notice.

For more information
www.samsung.com
1-800-SAMSUNG

© 2012 Samsung Electronics Canada, Inc. Samsung is a registered trademark of Samsung Electronics Corp., Ltd. Specifications and design are subject to change without notice. Non-metric weights and measurements are approximate. All data is correct at time of creation. Samsung is not liable for errors and omissions. All brand, product, service names, and logos are trademarks and/or registered trademarks of their respective manufacturers and companies.

DS9252NAEN1112

